
IONIC SHOWERING **EXPRESS** Created by MERLYN

SLIDING DOOR

Porte Coulissante Gleittür Schuifdeur



INSTALLATION GUIDE

Guide d'installation Installationsanleitung Installatiehandleiding

SCAN HERE

EXPRESS FITTING VIDEO

IN028EBSAE3

IMPORTANT:
Please read the complete instructions before commencing fitting.

Make sure the tray is 100% level in all directions.
Do Not attempt to install the product unless you can tick all 4 boxes satisfactorily.

- **Check that you have the tools required** ☐
- **Check the installation site is compatible with the sizes of door supplied** ☐
- **Check all the enclosure components are present** ☐
- **Check the installation kit is complete** ☐

The wall plugs supplied with the installation kit are for use in solid walls. Hollow or 'stud partition' walls will require alternative fixings. Please consult a hardware supplier for the correct type.
It may also be necessary to consult your tiling supplier about the correct method for drilling your tiles.

ATTENTION: TAKE EXTREME CARE WHEN HANDLING GLASS, WEAR PROTECTIVE EYEWEAR AND CLOTHING.DO NOT LEAVE THE GLASS ON HARD SURFACES AND AVOID CONTACT BETWEEN THE GLASS EDGES AND HARD SURFACES OR IMPACTS DURING THE INSTALLATION.

Size Taille Größe Maat	Adjustment Ajustement Anpassung Aanpassing	Opening space Écartement de l'ouverture Öffnungsraum Openingsruimte
1000	950-990	376
1100	1050-1090	426
1160	1120-1160	461
1200	1150-1190	476
1300	1250-1290	526
1400	1350-1390	576
1500	1450-1490	576
1600	1550-1590	576
1700	1650-1690	576

Mershield

IONIC SHOWERING

Stayclear Glass Protection

This glass is "Easy to clean".

Mershield Stayclear coating is pre-applied on the inside glass to help prevent the build-up of lime scale and soap deposits making the shower glass easier to clean!

Available on all
Ionic Express, **Essence** & **Wetroom** ranges.

FR


Ce verre est "Easy to clean/facile à nettoyer". Le revêtement Mershield Stayclear est pré-appliqué sur la face intérieure afin d'éviter l'accumulation de calcaire et de savon. La paroi est donc beaucoup plus facile à nettoyer. Option disponible avec les modèles Ionic Express, Essence and Wetroom ranges.

DE


Dieses Glas ist leicht zu reinigen. Mershield Stayclear coating ist auf der Innenseite des Glases aufgebracht, um den Angriff von Kalk und Seifenreste zu verhindern und die Reinigung zu erleichtern. Verfügbar auf allen Ionic Express, Essence und Wetroom Produkte.


NL

Dit glas is eenvoudig te reinigen. Mershield Stayclear Coating is aan de binnenzijde van het glas aangebracht om de aanslag van kalk- en zeepresten te voorkomen en het schoonmaken makkelijker te maken. Beschikbaar op alle Ionic Express, Essence en Wetroom produkten.




No.	QTY	Part No.	No.	QTY	Part No.	No.	QTY	Part No.
1	2	A03S0085	12	4	A03S0076	23	1	A03S0036/A03S0037
2	6	A03S0090	13	8	A03S0084	24	1	C
3	6	A03S0089	14	4	A03S0077	25	1	A03S0014/A03S0038
4	6	A03S0074	15	1	A	26	1	A03S0011
5	6	A03S0075	16	1	A03S0061	27	1	A03S0088
6	6	A03S0073	17	1	A03S0081	28	1	A03S0021
7	6	A03S0072	18	2	A03S0078	29	1	A03S0016
8	6	A03S0082	19	2	A03S0020	30	1	A03S0015
9	2	A03S0086	20	2	A03S0059	31	1	A03S0012
10	1	A03S0019	21	1	B	32	1	A03S0023/A03S0024
11	1	A03S0083	22	1	A03S0013			







A03S0085 R/L
X1




A03S0086
X2



A03S0103
X2




A03S0088
X1




4MM


A03S0091
X1




A03S0090
X6




A03S0089
X6



A03S0075
X6




OR




A03S0024
X1

OR


A03S0023
X1




A03S0020
X2





OR







A03S0021
X1













PH2





Ø6







1.


Note: Model is shown in left hand configuration for illustration purposes only


Size Taille Größe Maat	X
1000	950-990
1100	1050-1090
1160	1120-1160
1200	1150-1190
1300	1250-1290
1400	1350-1390
1500	1450-1490
1600	1550-1590
1700	1650-1690




2.


Ø 6mm
3A
A03S0090
3B
3.



A03S0089
4A
90°
90°
A03S0091
4B
4.




5.




6.


Make sure that distance
X is equal top and bottom
X
X
90°


7.


8A
INSIDE
8C
8B


8.


9A
9B
9C


9.


A03S0088
A03S0014/
A03S0038
A03S0013
A03S0036/
A03S0037


10.




11.


12A
A03S0015
12B
OK
12C
A03S0021
Set the seal height so it is just touching or slightly above the tray.

12.


A03S0103
A03S0085
A03S0086
A03S0020
A03S0075

13.


24 h.
Silicone
Silicone
Silicone

14.

For further information please contact:
Pour plus d'informations,contacter s'il vous plaît:
Für weitere Informationen kontaktieren Sie bitte:
Voor meer informatie, neem contact op met:

IRL: 0567791555
UK: 08081011429
FR: 0800 916 586
www.ionicshowering.com

To download the Declaration of Performance (DOP) for this product please use the link below.
https://merlynshowering.com/aftersales-support/dop-certs/