

MERLYN™

The Trade Collection




CLIP ON METAL ROLLERS

DESIGNED FOR YOUR **SPACE** AND YOUR **BUDGET**

MERLYN have are passionate about design and craft, constantly innovating our range which comes with a built to last promise which has been created with you in mind.

MERLYN's quality design and innovative approach has lead to the creation of a range of shower enclosures to suit every budget and space, with an easy fit system that is a firm favourite with installers and tradespeople alike.

Crafted in the heart of Irish design!



SLOT & LOCK FRAME SYSTEM

Contents

products.

Easy Shower Enclosures	4
Versa Wetroom Panels	8
Bath Screens	10
Touchstone & Touchstone-SR Trays	11

technical information.

Product Information	15
---------------------	----

versa|8 Wetroom Panels



- Height 2000mm
- 8mm Glass Thickness
- 20 year Guarantee

MERLYN
EASY



- Height 1850mm
- 6mm Glass Thickness
- 5 year Guarantee

Bath Screens



- Height 1500mm
- 5mm & 6mm Glass Thickness
- Lifetime Guarantee

TOUCHSTONE[®]
& TOUCHSTONE-SR



- Single Skinned
- 50mm High
- Fitted or Level to the Floor

MERLYN
EASY

THE EASIEST DOOR YOU WILL EVER FIT

SLOT & LOCK FRAME SYSTEM - NO SCREWS

NO DRILLING ON FRAME



ASSEMBLED ON TRAY

CLICK ON ROLLERS


scan here for more information



KEY FEATURES

6
MM
GLASS
THICKNESS

↑
1850
MM
↓
HEIGHT


5 YEARS
GUARANTEE

EASY

CLICK ON METAL ROLLERS



Rollers come completely pre-assembled and simple click onto the fixing.

EASY CLEAN ROLLERS



All rollers on MERLYN EASY products are now quick release for easy cleaning.

NO VISIBLE SCREWS OR FIXINGS



There are no visible screws on the wall profile or side panel profiles, making this door easier to clean.

CE

All MERLYN EASY doors are manufactured in accordance with BS EN 14428.



MERLYN EASY installation tool. Makes fitting even easier.
**Not included with the Bifold or Pivot door.*



Chrome handle

SHOWER ENCLOSURES

UNIQUE FITTING SYSTEM

1 SLIDING, CORNER & QUADRANTS



2 PIVOT & BIFOLD



3 SIDE PANEL



Sliding Door




Sliding Door			
Size	Adjustment in Recess	Adjustment with Side Panel	Code
1000	950-990	960-1000	KBS10
1100	1050-1090	1060-1100	KBS11
1200	1150-1190	1160-1200	KBS12

Optional Side Panel		
Size	Adjustment in Recess	Code
760	730-750	KBSP76
800	770-790	KBSP80
900	870-890	KBSP90

technical

Code	A	B
KBS10	375	435
KBS11	425	485
KBS12	475	535



A = Door Opening
B = Fixed Panel

Slot

Lock

Click on Rollers

scan here for fitting information


2 Door Quadrants



2 Door Quadrants		
Size	Adjustment Min - Max	Code
800 x 800	770-790	KB2Q80
900 x 900	870-890	KB2Q90
1000 x 800	970-990 / 770-790	KB2Q108
1200 x 800	1170-1190 / 770-790	KB2Q128
1200 x 900	1170-1190 / 870-890	KB2Q129

Size	A	B	C
800 x 800	390	225	225
900 x 900	545	325	325
1000 x 800	470	425	225
1200 x 800	470	625	225
1200 x 900	545	625	325

technical



A = Door Opening
B = Flat Fixed aPanel
C = Flat Fixed Panel

Slot

Lock

Click on Rollers


scan here for fitting information

features.

- > Height 1850mm
- > 6mm Toughened Safety Glass
- > Easy Clean Frame
- > Reversible
- > Chrome Handle
- > 5yr Guarantee
- > Manufactured in accordance with BS EN 14428

MERLYN'S FITTING TOOL!

Taking the hassle out of fitting!



scan here for fitting information



pivot Door




Pivot Door			
Size	Adjustment in Recess	Adjustment with Side Panel	Code
760	710-750	715-735	KBP76
800	750-790	755-775	KBP80
900	850-890	855-875	KBP90

Optional Side Panel		
Size	Adjustment in Recess	Code
760	730-750	KBSP76
800	770-790	KBSP80
900	870-890	KBSP90

technical

Code	A	B
KBP76	515	525
KBP80	535	545
KBP90	605	615



A = Door Opening
B = Door Swing

Frame Locking System



scan here for fitting information



Bifold Door




Bifold Door			
Size	Adjustment in Recess	Adjustment with Side Panel	Code
700	660-690	655-675	KBB70
760	710-750	715-735	KBB76
800	750-790	755-775	KBB80
900	850-890	855-875	KBB90

Optional Side Panel		
Size	Adjustment in Recess	Code
760	730-750	KBSP76
800	770-790	KBSP80
900	870-890	KBSP90

Size	A	B
700	400	305
760	450	335
800	480	355
900	560	400

technical



A = Door Opening
B = Door Swing

Frame Locking System



scan here for fitting information




Corner Door



Corner Door			Size	A	B
Size	Adjustment Min - Max	Code	800	400	395
800	770-790	KBC80	900	480	445
900	870-890	KBC90			

technical



A = Door Opening
B = Fixed Panel

Slot



Lock



Click on Rollers



scan here for fitting information





Wetroom Panels

MERLYN Wetrooms offer you the ultimate in versatility and luxury. Whether you are after the New York style loft appeal or you need to create a bathroom with inclusive design, then Wetroom Panels are the solution for you.

Why choose MERLYN Wetrooms?

Choice of glass

Available in 8mm glass and up to a height of 2015mm, the MERLYN Wetrooms offer you choice to suit our space.

A solution for every situation

The MERLYN Wetrooms provide several additional options to complement your wetroom panels for whatever you need to achieve within your bathroom.

Mershield Stayclear

MERLYN treats our wetroom panels with a special protective coating to ensure Mershield Stayclear which acts as a protective coating when applied to glass. It helps the glass to remain shiny and new without the need for tiresome cleaning. When cleaned correctly it helps prevent the build up of limescale and soap deposits making the shower glass "easy to clean".



Wetroom Panels

Luxurious Wetroom Panels, crafted with our signature glass. Each Wetroom panel comes with a wall profile you can tailor with various options such as; stabilising bars, end, swivel or cube panels and flush wall and floor profiles. Pick and choose from the 9 additional options to give your wetroom the luxurious finish.

features.

- > Height 2000mm
- > 3M support post can be retro-fitted to glass thicknesses of 6mm, 8mm
- > Reversible
- > Choice of additional options to tailor your wetroom to suit your space
- > Suitable for a recess or corner situation
- > Suitable for wetroom and shower tray application
- > All wetroom panels include a wall profile

8mm Wetroom Panels

Size	Adjustment Min–Max	Code excluding stabilising bar	Code including stabilising bar
300**	275-290	A0409J0	
400**	375-390	A0409K0	
500**	475-490	A0409L0	
600**	575-590	A0409M0	
700**	675-690		A0409A0
760	735-750		A0409N0
800**	775-790		A0409B0
900**	875-890		A0409C0
1000	975-990		A0409D0
1100	1075-1090		A0409F0
1200	1175-1190		A0409E0
1400	1375-1390		A0409G0
1600	1575-1590		A0409H0
200	Swivel Panel	A0413H0	A0413H0
300	Swivel Panel	A0413G0	A0413G0
400	Swivel Panel	A0413J0	A0413J0


8mm Fitting Options

Size	Product	
350	A) Angled Stabilising Bar	
300	J) Cube Panel 8mm Glass	
max 3 metres	I) Vertical Post	
2000	K) Corner Profile-Glass to Glass Profile	
400	C) Ceiling Bracing Bar	
1000	A) Versa 8 1000mm Round Stabilising Bar	A0417A0
1500	A) Versa 8 1500mm Round Stabilising Bar	A0S0105
-	Versa 8 T Piece Bracket	A04S0010

Versa: Please Note: We recommend the use of a stabilising bar for any wetroom panel over 900mm. **Cube Panel must be fitted on a flat tray/wetroom situation. Please note: Max height of ceiling bar from top of glass is 400mm with stabilising bar. These are available as bespoke options. We recommend a minimum opening space of 500mm. Please contact Customer Services for sizes and prices.

How it Works

If you wanted to make up a Walk In Wetroom for an area to fit on to a 1200mm x 800mm tray or floor. You pick a panel (700mm) and a panel (800mm), this also includes the recommended 500mm minimum opening for the Walk In.



Fitting Options




6_{MM}
GLASS
THICKNESS

LIFETIME
GUARANTEE

Bath Screens

Innovative design and contemporary aesthetics bring this bathroom favourite to life. This modern collection has been created with the same superb materials and unrelenting attention to detail demonstrated across all MERLYN ranges.

Why choose MERLYN Bath Screens?



90° inwards swing

The signature piece of this range, the Two Panel Hinged Bath Screen features a secure 90° inwards swing which means you can position the glass where you can comfortably deflect water into the bath and not on to the floor!

Tested for quality & safety

All products are rigorously tested by us and by global health and safety experts to make sure they adhere to the highest quality standards.

Rise and fall

All MERLYN Bath Screens have a rise and fall hinge to make it easier for you to open.

HydraSEAL

We have created an exciting new feature, exclusive to MERLYN Bath Screens called HydraSEAL

HydraSEAL acts as an extra barrier, sealing the gap between the seal and the pivot point where water can usually escape. It contains a high density foam that compresses on to the bath screen to form a tight seal and restricts water escaping from this problem area.

HydraSEAL is now available on our MB1, MB2, MB3A and MB3B bath screens.

HydraSEAL creates a barrier to restrict leaking!





MB12
Bathscreen


5 MM
GLASS
THICKNESS



LIFETIME
GUARANTEE

Pivot Square

Size	Panel	Code
800 x 1400	1	MB12



Door Swing: 90° in and out
 B: Radius of Screen Swing = 735mm
 Recommended shower head position



MB0
Bathscreen


6 MM
GLASS
THICKNESS



LIFETIME
GUARANTEE

Fixed Square

Size	Panel	Code
800 x 1500	1	MB0



Recommended shower head position



MB1
Bathscreen



6 MM
GLASS
THICKNESS



LIFETIME
GUARANTEE

Single Curved

Size	Panel	Code
800 x 1500	1	MB1



Door Swing: 90° in and out
 B: Radius of Screen Swing = 735mm
 Recommended shower head position



MB2
Bathscreen


6 MM
GLASS
THICKNESS



LIFETIME
GUARANTEE

Single Square

Size	Panel	Code
800 x 1500	1	MB2



Door Swing: 90° in and out
 B: Radius of Screen Swing = 733mm
 Recommended shower head position



MB3a
Bathscreen



6 MM
GLASS
THICKNESS



LIFETIME
GUARANTEE

2 Panel Folding Curved

Size	Panel	Code
900 x 1500	12	MB3A



Door Swing: 90° in and out
 B: Radius of Screen Swing = 735mm
 Recommended shower head position

Now featuring
HydraSEAL



MB3b
Bathscreen


6 MM
GLASS
THICKNESS



LIFETIME
GUARANTEE

2 Panel Folding Square

Size	Panel	Code
800 x 1500	2	MB3B



Door Swing: 90° in and out
 A: Fixed Panel
 B: Radius of Screen Swing = 483mm
 Recommended shower head position

Now featuring
HydraSEAL

SLIP RESISTANT TRAYS

We have carried out all the testing to give you and your family the peace of mind of showering in a safe environment and the splendour of this natural stone effect.



Scan me for more information

Exceeds Class C for DIN 51097 - Barefoot ramp test. This ranks MERLYN in a premium class.



Quadrant



Offset Quadrant

This product is handed – please choose L for Left Hand and R for Right Hand when ordering.



Image above shown as Left Handed (L)

Slip Resistant Tray

TOUCHSTONE-SR

Quadrant Tray

Size	Code	Tray Panel Kit
800 x 800	S80QAS	Kit 2
900 x 900	S90QAS	Kit 2
*1000 x 800 LH	S108QLAS	Kit 1
*1000 x 800 RH	S108QRAS	Kit 1
*1200 x 800 LH	S128QLAS	Kit 1
*1200 x 800 RH	S128QRAS	Kit 1
*1200 x 900 LH	S129QLAS	Kit 1
*1200 x 900 RH	S129QRAS	Kit 1

Standard Tray

TOUCHSTONE

Quadrant Tray

Size	Code	Tray Panel Kit
800 x 800	S80Q	Kit 2
900 x 900	S90Q	Kit 2
*1000 x 800 LH	S108QL	Kit 1
*1000 x 800 RH	S108QR	Kit 1
*1200 x 800 LH	S128QL	Kit 1
*1200 x 800 RH	S128QR	Kit 1
*1200 x 900 LH	S129QL	Kit 1
*1200 x 900 RH	S129QR	Kit 1

90mm fast flow waste, includes hair trap and chrome cover.



Design Details



Graduated adjustable leg and easy-fit tray panel kit.



90mm fast flow waste, includes hair trap and chrome cover.



Graduated adjustable leg system.

TOUCHSTONE

Features

- > 10 Year Guarantee
- > Single skinned with moulded solid under section
- > 50mm high to achieve minimalist design
- > Available as low level or with tray panel kits for easy installation
- > Antislip is manufactured into the coating and won't wear
- > 135mm high including tray panel kit
- > Compatible 90mm fast flow waste also available
- > The Touchstone tray is capped with an easy to clean surface that provides a chemical resistant, anti-bacterial solution due to it's ultra-smooth, non-porous surface.
- > More than 30 sizes available



Rectangular



Square

Slip Resistant Tray

TOUCHSTONE-SR

Rectangular & Square Trays

Size	Code	Tray Panel Kit
800 x 800	S80SQAS	Kit 4
900 x 900	S90SQAS	Kit 4
900 x 800	S980RTAS	Kit 4
1000 x 800	S108RTAS	Kit 4
1000 x 900	S109RTAS	Kit 4
1100 x 800	S118RTAS	Kit 4
1200 x 700	S127RTAS	Kit 4
1200 x 760	S1276RTAS	Kit 4
1200 x 800	S128RTAS	Kit 4
1200 x 900	S129RTAS	Kit 4
1400 x 700	S147RTAS	Kit 3
1400 x 800	S148RTAS	Kit 3
1400 x 900	S149RTAS	Kit 3
1500 x 760	S1576RTAS	Kit 3
1500 x 800	S158RTAS	Kit 3
1500 x 900	S159RTAS	Kit 3
1600 x 700	S167RTAS	Kit 3
1600 x 800	S168RTAS	Kit 3
1600 x 900	S169RTAS	Kit 3
1685 x 700	S177RTAS	Kit 3
1700 x 800	S178RTAS	Kit 3
1700 x 900	S179RTAS	Kit 3

*Waste is centred on 1700x800 & 1700x900 trays.

Waste Complete Only

Code

DWAS

Tray Panel Kits (including Legs)

Tray Panel Kit Code

Kit 1	DRK1
Kit 2	DRK2
Kit 3	DRK3
Kit 4	DRK4

Standard Tray

TOUCHSTONE

Rectangular & Square Trays

Size	Code	Tray Panel Kit
760 x 760	S76SQ	Kit 4
800 x 800	S80SQ	Kit 4
900 x 900	S90SQ	Kit 4
800 x 700	S870RT	Kit 4
800 x 760	S876RT	Kit 4
900 x 700	S970RT	Kit 4
900 x 760	S976RT	Kit 4
900 x 800	S980RT	Kit 4
1000 x 700	S107RT	Kit 4
1000 x 760	S1076RT	Kit 4
1000 x 800	S108RT	Kit 4
1000 x 900	S109RT	Kit 4
1100 x 800	S118RT	Kit 4
1200 x 700	S127RT	Kit 4
1200 x 760	S1276RT	Kit 4
1200 x 800	S128RT	Kit 4
1200 x 900	S129RT	Kit 4
1300 x 800	S138RT	Kit 3
1400 x 700	S147RT	Kit 3
1400 x 760	S1476RT	Kit 3
1400 x 800	S148RT	Kit 3
1400 x 900	S149RT	Kit 3
1500 x 700	S157RT	Kit 3
1500 x 760	S1576RT	Kit 3
1500 x 800	S158RT	Kit 3
1500 x 900	S159RT	Kit 3
1600 x 700	S167RT	Kit 3
1600 x 800	S168RT	Kit 3
1600 x 900	S169RT	Kit 3
1685 x 700	S177RT	Kit 3
1680 x 760	S1776RT	Kit 3
1700 x 800*	S178RT	Kit 3
1700 x 900*	S179RT	Kit 3
1800 x 800 NEW	S188RT	-

*Waste is centred on 1700x800 & 1700x900 trays.

Adjustment

This is the minimum and maximum adjustment of the actual enclosure. These are the adjustment dimensions of the actual door excluding the tray. Therefore, these are the dimensions to follow when installing an enclosure in a wetroom application without a tray.

Information and Maintenance

Always read the instructions on the packaging, chrome is vulnerable to acid attack and some strong household cleaners including strong disinfectants, denture cleaners, hair dyes, wine making chemicals and photographic chemicals may contain acid. These materials may have a varying effect on the surface from black spots/streaks (which cannot be removed) to pitting the surface. Contact with these materials should be avoided.

Important shower tray information

Although shower door and enclosure sizes are related to tray sizes it is important to note that most shower trays are tiled down to the rim, often over an "up-stand". The finished installation space may be less than the nominal tray size.

Dimensions given in this publication are in millimetres, are approximate and may vary with adjustment. They are subject to change without notice.

Please note that when a tray is fitted it is essential that the tray is level before any doors or enclosures are fitted.

ISO Certification

MERLYN has implemented an Integrated Management System comprising of Quality Management, Environmental Management and Occupational Health and Safety Management. An Integrated Management System ensures the seamless integration of several different standards into a common system that meets the requirements of each of these standards. These certifications are proof of MERLYN's credibility but also to instil confidence in our potential clients that MERLYN will keep its promises.



UKCA, CE & EN Information

The UKCA (UK Conformity Assessment) mark on MERLYN enclosures is the new standard marking for products on the market in Great Britain (England, Wales and Scotland). It is a declaration that the product complies with GB designated standards.


The CE markings on Merlyn enclosures is a declaration that the product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.

EU and GB legislation requires manufacturers to display either the UKCA mark for Great Britain and a CE mark for the EU and Northern Ireland on their product or packaging. It is an offence to place a product on the relevant market without a UKCA for Great Britain or CE marking for the EU market.

The manufacturer is legally responsible for ensuring that the product conforms to the requirements of both directives.

The European Commission thus refers to the CE marking as a "Passport" which allows products to be freely circulated within the EU single market. The UKCA marking allows products to move freely within Great Britain.

Often consumers will consider the UKCA and CE markings on a product as an indication of conformance to laid down minimum standards and therefore, a minimum level of safety which other products may lack. Both markings are often seen by consumers as a "Symbol of Safety."



MERLYN invests heavily in its product development and as such guarantees that its glass fully complies with regulations and is manufactured in accordance with BS EN 14428. The rigorous testing of the glass ensures that the endurance, stability and water retention criteria meet high industry standards.

Product Information

All shower enclosures, bath screens and wetroom panel products are manufactured in accordance with EN 14428 and utilise toughened safety glass to EN 12150.

All doors feature adjustable wall profiles to compensate for out-of-true walls to obtain a perfect fit and operating action.

All enclosures, are power shower approved – will retain water under normal showering conditions.

Water retention is maintained in all products under normal showering conditions.

Opened cartons cannot be returned. Returns carry a €40 box charge or €60 per unit where the sale is less than 7 days old. Returns over 30 days old will not be accepted.

All products are supplied complete with full installation instructions and the necessary fixings. Check with your dealer for accurate matching of material samples.

Glass shattering and parts subject to wear are not covered by your guarantee.

All descriptions, specifications and particulars contained in this brochure are intended merely to represent a general idea of the products described herein and none of these form part of any contract to give rise to any independent or collateral liability upon the company.

Cleaning





It is important to clean your EASY shower door after every use.

- > Wipe down all the glass and metal parts with a soft cloth.
- > Do not allow lime scale to build up in hard water areas.
- > Ensure that any residual water on the glass is removed after every use.
- > Clean the glass regularly using soapy water.
- > Do not use abrasive products on any surfaces.
- > Install the enclosure in a well ventilated area.

Please Note

Images are for illustrative purposes only. The colours and finishes shown in the catalogues are as accurate as possible within the limits of the printing process. All descriptions, specifications and particulars contained in this brochure are intended merely to represent a general idea of the products described here in and none of these form part of any contract to give rise to any independent or collateral liability upon the company.

Touchstone Trays - Waste Positions




Rectangular Trays

Size	Waste Position (A)	Waste Position (B)
800 x 700	147	
800 x 760	147	
900 x 700	147	
900 x 760	147	
900 x 800	147	
1000 x 700	147	
1000 x 760	147	
1000 x 800	147	
1000 x 900	147	
1100 x 760	147	
1100 x 800	147	
1200 x 700	147	
1200 x 760	147	
1200 x 800	147	
1200 x 900	147	
1300 x 800	147	
1400 x 700	147	
1400 x 760	147	
1400 x 800	147	
1400 x 900	147	
1500 x 700	147	
1500 x 760	147	
1500 x 800	147	
1500 x 900	147	
1600 x 700	147	
1600 x 800	147	
1600 x 900	147	
1685 x 700	147	
1680 x 760	147	
1700 x 800	130	850
1700 x 900	130	850

Offset Quadrant Trays

Size	Waste Position (A)	Waste Position (B)
900 x 760 L	250	130
900 x 760 R	250	130
1000 x 800 L	350	130
1000 x 800 R	350	130
1200 x 800 L	450	130
1200 x 800 R	450	130
1200 x 900 L	450	130
1200 x 900 R	450	130
1400 x 800 L	510	300
1400 x 800 R	510	300



Waste is centred for 1700 x 800 S178RT and 1700 x 900 S178RT trays

Square Trays

Size	Waste Position (A)	Waste Position (B)
760	147	
800	147	
900	147	

Quadrant Trays

Size	Waste Position (A)	Waste Position (B)
800	250	130
980	350	130
1000	350	130

MERLYN™

Unit 8, Purcellsinch Industrial Estate, Dublin Road, Kilkenny, Ireland, R95 HP71.

T +353 56 779 1555 / F +353 56 779 1576

E sales@merlyn.ie / technical@merlyn.ie

www.merlynshowering.com

